



R2 *plus-RK3568*

Make Desktop Computing Extremely Simple







R2 PLUS-RK3568 Thin Client Specification		
Processor	Quad core Cortex-A55	
Memory	DDR4 2GB RAM	
Storage	16GB flash	
Graphics	ARM G52 2EE	
Protocol	HVDP	
OS supported (Server side)	Windows 10/11 and server 2022/2025	
OS(Local)	Embedded linux kernel	
Display	VGA Resolution	1024x768/1366*768/1440*900/1280*1024/1600*900/1280*720/1920*1080/1680*1050
	HDMI Resolution	1920*1200/1920*1080
Language	English/Chinese	
Upgrade	Firmware upgrade	
Device Size	139x128x34mm	
Weight	293g	
Power supply	12V-2A	
Power consumption	5W-10W	
Online video	1280*720p	
I/O port	VGA x 1,HDMI x 1,USB2.0 x 4,USB3.0 x 2,RJ45 LAN x 2,DC Power x 1, SPK&MIC x 1,SD card x 1.	
Working temperature	0℃~45℃	
WIFI	No by default ,Optional	
Management Software	Hmanager	
Printer Redirect	Support	


R2 PLUS Working Principle

03






a. Bulk Create Users




c. Set Private Disk



b. Monitor & Send Message



d. Broadcast



e. (To Terminal)Black Screen/Disable Network & USB Peripheral/Hand up

Awesome Experience in
Video Display, Ms Office, 3D Design..



Fully Support
Various USB Peripherals





*The power plug type is optional.